

MTB COMPACTOR

HYDRAULIC ROTATING SYSTEM COMPACTORS

CMP hydraulic compactors are attached to machines that house hydraulic power units mini excavators, backhoe loaders, excavators, etc. **Hydraulic compactor** compacts with high-frequency impact power. This vibration force is used to compact soil, granular material, piles, and driving all kinds of wood and steel posts. Also, impact buffers were added to protect the vibration buffers from impacts and give them a longer lifetime during compacting and post-driving operations. **The rotation function provides 360 degrees rotation of the compactor.**


CMP 120R

CMP 120R compactor in the **Hydraulic Compactor series** is manufactured to be 1205 kg for the construction equipment in the range of 25-60 tons. They produce 9900 kg force with 2100 rpm impact frequency and 860x1100 mm bottom plate dimensions.

TECHNICAL INFORMATION

CMP 120R Rotating System Compactor

OPERATING WEIGHT	kg	1205
MINI EXCAVATOR CARRIER WEIGHT	T	25 - 60
OIL FLOW	LPM	210
WORKING PRESSURE	Bar	150
POWER	kg	9900
FREQUENCY	N/min	2100
HEIGHT C (WITHOUT BRACKET)	mm	970
BOTTOM PLATE A x B	mm	860x1100





Contact:



cekici@hidro-rad.hr



+ (385) 21 721 041

