

MTB COMPACTOR

HYDRAULIC ROTATING SYSTEM COMPACTORS

CMP hydraulic compactors are attached to machines that house hydraulic power units mini excavators, backhoe loaders, excavators, etc. **Hydraulic compactor** compacts with high-frequency impact power. This vibration force is used to compact soil, granular material, piles, and driving all kinds of wood and steel posts. Also, impact buffers were added to protect the vibration buffers from impacts and give them a longer lifetime during compacting and post-driving operations. **The rotation function provides 360 degrees rotation of the compactor.**


CMP 16R

CMP 16R compactor in the **Hydraulic Compactor series** is manufactured to be 295 kg for the construction equipment in the range of 1,5 - 6 tons. They produce 1550 kg force with 2100 rpm impact frequency and 450x950 mm bottom plate dimensions.

TECHNICAL INFORMATION

CMP 16R Rotating System Compactor

OPERATING WEIGHT	kg	295
MINI EXCAVATOR CARRIER WEIGHT	T	1,5 - 6
OIL FLOW	LPM	35
WORKING PRESSURE	Bar	150
POWER	kg	1550
FREQUENCY	N/min	2100
HEIGHT C (WITHOUT BRACKET)	mm	735
BOTTOM PLATE A x B	mm	450 x 950





Contact:



cekici@hidro-rad.hr



+ (385) 21 721 041

