

# MTB COMPACTOR

## HYDRAULIC ROTATING SYSTEM COMPACTORS

**CMP hydraulic compactors** are attached to machines that house hydraulic power units mini excavators, backhoe loaders, excavators, etc. **Hydraulic compactor** compacts with high-frequency impact power. This vibration force is used to compact soil, granular material, piles, and driving all kinds of wood and steel posts. Also, impact buffers were added to protect the vibration buffers from impacts and give them a longer lifetime during compacting and post-driving operations. **The rotation function provides 360 degrees rotation of the compactor.**


## CMP 40R

**CMP 40R** compactor in the **Hydraulic Compactor series** is manufactured to be 611 kg for the construction equipment in the range of 4-10 tons. They produce 3000 kg force with 2000 rpm impact frequency and 690x870 mm bottom plate dimensions.

### TECHNICAL INFORMATION

#### CMP 40R Rotating System Compactor

OPERATING WEIGHT	kg	611
MINI EXCAVATOR CARRIER WEIGHT	T	4 - 10
OIL FLOW	LPM	75
WORKING PRESSURE	Bar	150
POWER	kg	3000
FREQUENCY	N/min	2000
HEIGHT C (WITHOUT BRACKET)	mm	740
BOTTOM PLATE A x B	mm	690x870





Contact:



[cekici@hidro-rad.hr](mailto:cekici@hidro-rad.hr)



+ (385) 21 721 041

