



# MTB HYDRAULIC BREAKERS

## MORE POWER, LESS WASTE

---

**MTB hydraulic breakers** are easy to use for operators and they are designed for all excavator weight and model varieties. They are designed with a focus on *breaking performance*.

**MTB breakers** are manufactured for the toughest construction demands rock, concrete, asphalt and marble. As **MTB hydraulic breakers** can be *operated in any position*, they can be used for any application such as oversize boulder breaking in quarrying and mining, overhead breaking in tunnelling, concrete breaking for demolition and specialised underwater projects.

## Marble Breakers

---

**MR (Marble) serie breakers** outer chassis has a completely special design and are produced with wear-resistant materials. Also our **Marble serie breaker's** side surfaces are made as one single piece and without welding. This way the effects of the forces on the side surfaces of the breaker is lowered.

We produce **9 different models** between 1300-7000 kg for marble quarries and heavy working conditions for the excavators in the range of 25-100 tonnes.



# MTB 365 MR

**MTB 365 MR breakers** which are designed to be used in the **Marble series** is produced as 4035 kg for the excavators in the range of 40-48 tonnes. MTB breakers are manufactured to be wear resistant with their hardox bodies.

## TECHNICAL INFORMATION

### MTB 365 MR Marble Breakers

OPERATING WEIGHT	kg	4142
MINI EXCAVATOR CARRIER WEIGHT	T	40 - 48
OIL FLOW	LPM	180 - 280
WORKING PRESSURE	Bar	140
IMPACT ENERGY	J	8000
FREQUENCY	bpm	320 - 510
TOOL DIAMETER	mm	175
VOLUME	Db	129



## Contact:



[cekici@hidro-rad.hr](mailto:cekici@hidro-rad.hr)



+(385) 21 721 041

