

Concrete Batching Plants



FABO[®]

Crushing Screening Plants



Stationary Concrete Batching Plant

Powermix-160

160 m3 concrete batching plant is the ideal stationary concrete batching plant type for low and medium level enterprises. These machines, which produce an average of 160 m3 ready-mixed concrete per hour, can be produced in a way that could provide higher performance by supporting with different apparatuses according to the operating performance. Our products, which are designed in CE standards adopted worldwide, are the most used machines in the sector with their quality and durability. Our products, which do not use any materials that may harm human health during the construction phase, are among nature and environmentally friendly construction machines. You can call us for details on the **160 m3 concrete batching plant** price and features, which enables businesses to save cost and time, and you can request support at any time for any problems related to your construction equipment.

MODEL	POWERMIX-160
PRODUCTION CAPACITY	160 m3/h
AGGREGATE BUNKER	4 x 40 m3
CONVEYOR CAPACITY	8800 Kg
LOADING TYPE	Conveyor
MIXER CAPACITY	4000/6000 L
MIXER TYPE	Twin Shaft
CEMENT WEIGHTING	2000 Kg
WATER WEIGHTING	1000 Kg
ADDITIVE WEIGHTING	2x50 L
CONTROL SYSTEM	Siemens Or ABB
OPERTAING CABIN	Included
CEMENT SCREW DIAMETER	∅ 323 mm
COMPRESOR	Included

160 m3 Concrete Batching Plants have been developed in accordance with international standards to operate under severe operating and climatic conditions. In this way, they can offer uninterrupted production solution by working 24/7 without compromising production quality. Thanks to its extremely easy and practical installation for companies in every region of the world; They have become an alternative to quality production by saving on purchasing costs.



Contact:



fabo@hidro-rad.hr



+ (385) 21 721 041

